

Pan Parish Infiltration Plan

Appendix B – Mitigation Measures



from
**Southern
Water** 

The Southern Water logo graphic consists of three stylized, wavy blue lines of varying lengths, positioned to the right of the text "Southern Water".

Appendix B

APPENDIX B

Mitigation measures

See notes in Section 4 regarding the potential need to introduce mitigation measures to reduce the risk of groundwater infiltration impacting the level of service provided by the sewerage system. Location of sites will be selected to provide the most effective arrangements to maintain services, whilst minimising environmental effects. Where practical, sites that have been used previously are expected to be re-used (when necessary), but the use of different locations cannot be ruled out, if hydraulic conditions dictate.

The impact of high ground water in this area will be mitigated as required by tankering excess flow to wastewater treatment sites.



Tanker Locations –



Kimpton – tankers will be deployed to the locations below



Tankering locations are:

W3W ///tiger.strapping.look

W3W/pipers.shuttling.stable

Tankers dispose of loads at
Fullerton WTW



Mullens Pond — tankers will be deployed to the location below



Tankering location:

W3W
///uniforms.disengage.tides

Tankers dispose of loads at
Fullerton WTW



Manor Farm Abbots Ann — tankers will be deployed to the location below



Tankering location:

W3W//tanked.stubbed.regal

Tankers dispose of loads at Fullerton WTW



Little Ann Bridge — tankers will be deployed to the location below



Tankering location:

W3W ///vouch.train.thank

Tankers dispose of loads at
Fullerton WTW

